ASSIGNMENT 6

"Material Custody, Material Stowage, Material Handling Equipment, and Textbook Assignment: Safety," chapter 6, pages 6-1 through 6-18.

- 6-1. The control exercised by an individual over a property or record is known by which of the following terms?
 - 1. Storage
 - 2. Equipage
 - 3. Inventory 4. Custody
- What person has overall responsibility for the storage, security, and inventory control of material stowed in supply department spaces?
 - The supply officer
 - 2. The storeroom supervisor
 - 3. The OA officer
 - 4. The division officer
- 6-3. Aboard ship, what officer must authorize stowage of supply department stock in other department spaces?
 - 1. The operations officer
 - 2. The air officer
 - 3. The commanding officer
 - 4. The supply officer
- When supply department stock is stored in another department's spaces, the other department is responsible for all EXCEPT which of the following functions?
 - 1. Physical inventory of the material
 - 2. Replenishment of the material

 - Security of material
 Location of material
- Maintaining the stock records of 6-5. supply material stored in other department spaces is the responsibility of what person?
 - 1. 2. 3. The designated custodian
 - The other department head
 - The person using the material
 - The supply officer
- The assigned custodian for material stowed in other department spaces is responsible for maintaining which of the following records?
 - The financial records
 - 2. The location records
 - 3. The inventory adjustment records
 - 4. The demand records

- 6-7. In aviation maintenance, what does the acronym MAM stand for?
 - 1. Maintenance avionics module
 - 2. Maintenance asset management

 - 3. Maintenance assistance module 4. Maintenance activity material
- 6-8. Which of the following statements refers to the inventory management of items identified as MAMs?
 - 1. MAMs are part of the supply spares inventory
 - 2. MAMs are included in the activity's fixed allowance
 - 3. MAMs are not expended to the end user
 - 4. MAMs are listed in the AVCAL under the custody of the supply officer
- The custody records of repairable 6-9. MANs are maintained by which of the following officers?
 - 1. Any division officer in AIMD
 - 2. The supply officer
 - 3. The AIMD officer
 - 4. The operations officer
- Aboard ship, the uninstalled items that are located in work spaces to 6-10. support operational and administrative functions are known by which of the following terms?
 - 1. IMRL
 - 2. Equipage
 - 3. AVCAL 4. MAM

 - Which of the following items should 6-11. be considered as controlled equipage?
 - 1. Desks
 - 2. Permanently mounted fans
 - 3. Personal computers4. Forklifts
 - 6-12. Which of the following terms refers to the placement of property in a storeroom or warehouse?
 - 1. Inventory
 - 2. Packaging 3. Shipment 4. Storage

- 6-13. To maintain control of stored material, you should meet all EXCEPT which of the following criteria?
 - Provide orderly stowage and 1.
 - Prevent damage to the ship or personnel
 - 3. Reduce material loss or damage
 - 4. Issue the newest stock first
- Maximum use of storage space can provide which of the following results?
 - Savings in operational cost
 Maximum use of personnel

 - 3. Limited man-hours
 - 4. Safety prevention
- In material stowage, the storage area within any roofed structure is known by which of the following terms?
 - 1. Facility
 - 2. Office building
 - 3. Covered storage space
 - 4. Hangar area
- What type of warehouse has a roof 6-16. and walls and is used for various storage functions?
 - 1. A refrigerated warehouse
 - 2. A flammable warehouse
 - 3. A general-purpose warehouse
 - 4. A specific-purpose warehouse
- Generally, where are the office 6-17. spaces located in a general-purpose warehouse?
 - On the opposite side of the loading docks
 - 2. On the same side as the loading 6-24. docks
 - 3. In any area inside the warehouse
 - In the area away from the main aisle
- 6-18. What aisles allow movement of the material handling equipment or supplies through the length of a general-purpose warehouse?
 - 1. The fire aisles
 - The personnel aisles 2.
 - 3. The main aisles
 - The cross aisles

- 6-19. A refrigerated warehouse is usually separated in what total number of parts?
 - 1. Five
 - 2. Two
 - 3. Three
 - Four
 - The firewalls used in a flammable 6-20. storage warehouse have what prescribed fire resistance rating?
 - 1. 6-hr
 - 2. 2-hr
 - 3. 9-hr
 - 4. 4-hr
 - 6-21. What type of storage facility is used for storing material that needs maximum ventilation but does NOT need complete protection from the weather?
 - 1. A refrigerated warehouse
 - A chill space
 - A general-purpose warehouse
 - 4. A shed
 - There are a total of how many types 6-22. of open storage spaces?
 - 1. One
 - 2. Two
 - Three
 - 3. Three
 - 6-23. Aboard ship, what space is used as the central distribution area for general-type stores?
 - 1. The rotatable pool storeroom
 - 2. The SEAMART storage space
 - 3. 4. The main issue storeroom
 - The bulk storeroom
 - Aboard ship, which of the following storage spaces must be located away from magazines?
 - 1. The flammable liquid storeroom
 - 2. The general stores storeroom
 - The repairable storeroom
 - The pre-expended bin storage space
 - 6-25. Aboard ship, an allowance list item of equipment needs to be stored temporarily in a shore activity for over 1 year. The ship must obtain storage approval from what person?
 - The stock control officer
 - 2. The stores officer
 - 3. The department head
 - 4. The type commander

- 6-26. When a ship has material that needs 6-32. When material is transferred to to be placed in temporary storage at a shore activity, what activity is responsible for coordinating the offload and return of material?
 - 1. The supporting shore activity
 - 2. The ship requesting storage
 - 3. The supply activity ashore
 - 4. The type commander's office
- What form is used to document 6-27 material offloaded for temporary 6-33. storage ashore?
 - 1. DD Form 250
 - 2. DD Form 1149
 - 3. DD Form 1348-6
 - 4. DD Form 1348-1
- What material protection level 6-28. provides protection against less severe conditions?
 - 1. D
 - 2. C
 - 3. B
 - 4. A
- Until issued, repair parts should be stored in what manner? 6-29.
 - 1. In bubble wrap
 - 2. In plastic bags
 - 3. In waterproof barrier material
 - 4. In their original container
- What type of drawing shows the actual-layout of a storage area and 6-30. enables the stock person to match the location on the locator file with the floor plan?
 - 1. A planograph
 - 2. A blueprint
 - 3. A gross storage space drawing 4. A net storage space drawing
- 6-31. To keep the number of material locations for small lots to a minimum, which of the following actions should you take?

 - Delete the locations
 Relocate material to another storeroom
 - 3. Combine the material into one location
 - 4. Change all of the locations

- another location, what person is responsible for ensuring that the material is properly stowed in the new location?
 - 1. The AK physically moving the material
 - 2. The storeroom supervisor
 - 3. The supply division officer
 4. The supply officer
- The space occupied by bins and pallet racks in a warehouse is known by which of the following
 - 1. Operating space
 - 2. Work space
 - 3. Gross storage space
 4. Net storage space
- 6-34. In a storage space ashore, the first three digits of the location number identify which of the following information?
 - The building number and stack
 - The row and stack
 - 3. The floor and row
 - 4. The building and floor number
- 6-35. Ashore, in the location number 123-456-789, what does the number 9 identify?
 - The building number
 - 1. The building number
 2. The level within a stack
 - 3. The stack
 - 4. The row
- 6-36. Which of the following factors should you consider when assigning a location for material?
 - 1. The quantities and types of materials
 - 2. The characteristics of the materials
 - 3. The security and safety of the materials
 - 4. All of the above
- 6-37. Aboard ship, the first two digits of a location number contain what information?
 - 1. The compartment number
 - 2. The storeroom number
 - 3. The level number
 - 4. The space category
- A standard pallet is what size? 6-38.
 - 1. 36 by 40 in.
 - 2. 38 by 48 in.
 - 3. 40 by 48 in.
 - 4. 42 by 40 in.

- 6-39. pallet allows the forks of a forklift to enter from which of the following pallet positions?
 - 1. Front or side
 - 2. Rear or side

 - 3. Either side 4. Front or rea Front or rear
- 6-40. Most 2,000-pound forklift trucks will lift 2,000 pounds if the load does NOT extend beyond what maximum distance from the heel or fork?
 - 10 in. 1.
 - 2. 20 in.
 - 24 in. 3.
 - 4. 36 in.
- Which of the following stowage aids 6-41. is used for storing oDD sized items or weak containers that will NOT support a superimposed load?

 - Safety pallet
 Horizontal dunnage
 - 3. Box pallet
 - 4. Notched spacers
- 6-42. When using a forklift to elevate personnel, you should use which of the following types of pallets?
 - 1. A box pallet
 - 2. A safety pallet
 - 3. A standard pallet
 - 4. A winged pallet
- Which of the following stowage aids 6-43. can be made from cut salvaged lumber and used to protect material from water damage?
 - Standard pallets
 - 2. Notched spacers
 - 3. Pallet racks
 - 4. Floor dunnage
- Which of the following stowage aids 6-44. are used for horizontal palletizing of compressed gas cylinders?
 - 1. Notched spacers
 - 2. Pallet racks
 - 3. Box pallets
 - 4. Collars
- Information concerning hazardous 6-45. material procurement, transportation, fire-fighting, spills, and leaks can be found in which of the following publications?
 - 1. NAVSUP P-485

 - 2. HMIS 3. NSTM, chapter 593 4. NAVSEA S9593-A7-PLN-010

- The construction of a two-way entry 6-46. Aboard ship, when acid is stored in a flammable storeroom, the storeroom must be provided with which of the following materials?
 - 1. Wood deck plates
 - 2. A plastic liner that covers the deck area
 - A watertight rubber liner that covers the entire deck and lower part of the bulkhead
 - 4. Rubber tiles
 - 6-47. The HMIS lists oxidizing material by what special material content code ?
 - 1. A
 - 2. D
 - 3. H
 - 4. J
 - 6-48. Unless otherwise specified, compressed gas cylinders must be stored in what area on a ship?
 - 1. Outside the flammable storeroom
 - 2. On the weather deck
 - 3. On either end of the ship, below the waterline
 - 4. In the bulk storeroom below the main deck
 - 6-49. Compressed gas cylinders are color coded for which of the following reasons?
 - To identify the type of cylinder
 - To identify the amount of gas in the cylinder
 - To serve as a hazard warning 3.
 - 4. To prevent corrosion
 - 6-50. OPNAVINST 5510.1 covers which of the following types of material?
 - Hazardous material
 - 2. Aircraft material
 - Support equipment material
 Classified material
 - Aboard ship, a drummed product is 6-51. stored in what manner?
 - On its end with the bung end up
 - On its side secured with spacers
 - 3. On its end with the bung end down
 - 4. Horizontally

- 6-52. For storage of deteriorative 6-58. material, such as batteries and rubber products, what environment is the most desirable?
 - Warm and dry
 Cool and dry

 - 2. COOI and dry
 3. Warm and humid
 - 4. Extremely cold and humid
- of the following directions?

 - Forward only
 Port or starboard only
 - 3. Aft only
 - 4. Forward, port or starboard, and
- The corrosion preventive 6-54. maintenance on aircraft engines is performed by what department?
 - 1. Engineering
 - 2. supply
 - 3. Aircraft maintenance
- unit loads of supplies and material?
 - 1. A two-wheel hand cart
 - 2. A hand pallet truck
 - 3. A tractor trailer
 4. A forklift truck
- In reference to a forklift truck, what is meant by the term "free 6-62. The forks of a Navy hand-pallet truck can be raised what prescr 6-56. lift"?
 - 1. The maximum lifting height of the forks
 - 2. The safe distance of the forks from the ground when traveling
 3. The lifting height of the forks
 - before the inner slides move above the mast
 - 4. The maximum height of the forks when lifting loads over the weight limit
- A forklift truck should NOT be used to move loads beyond what maximum distance?
 - 1. 100 ft
 - 2. 200 ft

 - 3. 300 ft 4. 400 ft

- 6-58. When moving loads beyond the maximum travel distance for a forklift, which of the following equipment should you use?

 - A hand pallet truck
 A tractor-trailer train
 - 3. A pneumatic wheel forklift
 - 4. A hand cart
- Aboard ship, aircraft engines must 6-59. Under normal supply operational be secured in a manner that will conditions, a tractor should prevent them from shifting in which operate with a maximum of how manner that following directions? operate with a maximum of how many sets of trailers?
 - 1. One
 - 2. Two
 - Three
 - 4. Four
 - 6-60. What is the rated drawbar pull range of a Navy gasoline-powered warehouse tractor?
 - 1. 1,000 to 2,500 lb
 - 2. 2,500 to 3,000 lb
 - 3. 3,000 to 4,000 lb
 - 4. 4,000 to 7,500 lb
- Which of the following equipment is used to pickup, carry, and stack unit loads of supplies and

 6-61. When warehouse operations involve short hauls and frequent stops, which of the following equipment material?
 - 1. A two-wheel hand cart

 - A tractor trailer
 A four-wheel platform hand truck
 - 4. A stock picker
 - truck can be raised what prescribed distance from the deck?

 - 1. About 1 in. 2. About 2 in.
 - 3. About 3 in.
 - 4. About 4 in.
 - 6-63. What device is equipped with horizontal bars and is used to lift palletized loads by a crane or ship's boom?
 - 1. A pallet sling
 - 2. A spreader bar
 - 3. A forklift truck
 - 4. A cargo net
 - The HMIS is issued at what 6-64. prescribed interval?
 - 1. Monthly
 - 2. Bimonthly
 - 3. Quarterly
 - 4. Annually

- For protection from falling objects when working in areas where lifting 6 - 65. or hoisting operations are performed, you must wear which of the following safety equipment?
 - A protective helmet
 Rubber gloves
 Goggles
 A rubber apron

- In warehouses ashore, the fire doors near the aisle must have what 6-66. minimum clearance?

 - 12 in. 24 in. 1. 2.
 - 3. 36 in.
 - 48 in.